

Cremation (Scotland) Regulations
1935, 1952 and Cremation (Scotland)
Amendment Regulations 1967, 1985
, Clydebank
and 2003.

Burials & Cremations
Crematorium Lodge House
Mountblow Road, Clydebank

Cremation No.

Tel: 01389 876306/875667 Fax: 01389 874454
E-Mail: bereavementservices@west-dunbarton.gov.uk

Supplementary Form A

Application for Cremation at Clydebank Crematorium, Mountblow Road, Clydebank.
Tel/Fax: 01389 874318

Funeral Director:
Address:
Telephone/Fax No: E-mail:

1. The day, date and time proposed for the Cremation:
_____ at _____ (am/pm)
2. Is it proposed to hold at service at the Crematorium? _____
3. Shall Cremation authority provide a Clergyman? _____
4. What denomination is the deceased? _____
5. Please state proposed music required (e.g. organ, cd supplied, etc.) _____
5(a) Hymns or other music required to be played by Organist:-

The Undertaker must ensure the following is clarified with the Next of Kin:-

State which of the following courses is proposed in reference to the Ashes following Cremation:-

(a) To be taken away in by Funeral Director or Family (please indicate) within 1 week. Please indicate whether casket/urn will be supplied or bio-box required	Yes/No
(b) Dispersed in Garden of Remembrance within 1 week unattended	Yes/No
(c) Interred in Garden of Remembrance within 1 week unattended	Yes/No
(d) Interred/Dispersed with family attending. Confirm booking direct with Crematorium and record here Date: _____ at _____ (am/pm)	Yes/No

Construction of the Coffin:

The coffin must be made of wood by-product which, when placed in a cremator and subjected to the accepted cremation process is easily combustible and which does not emit smoke, give off toxic gas or leave any retardant smears or drips after final combustion. No metal furniture or fittings whatever shall be used on a coffin for cremation. No metal of any kind shall be used in the manufacture of such coffin except as necessary for the safe construction and then only metal of high ferrous content. Cross pieces must not be attached to the bottom of the coffin. If it is desired to strengthen the bottom of the coffin, wooden strips may be placed lengthways for this purpose. The coffin must not be painted or varnished but may be covered with a suitable cloth. Products manufactured in polyvinyl chloride (PVC), zinc, lead, melamine and polyamidoamine-epichlorhydrin based resin must not be used in construction of the coffin or its furnishings. The use of Polystyrene must be restricted to the coffin nameplate only in which case it must not exceed 90gms in weight.

Lining of the Coffin:

Sawdust or cotton-wool must be avoided. If circumstances require, suitable sealing material may be used but no metal, rubber or polyvinyl chloride (PVC) will be permitted and on no account must pitch or similar substance be used.

Size of Coffin:

Where the external dimensions of a coffin are likely to exceed length 81 inches (206cm); width 30 inches (76cm); depth 22 inches (56cm), the proper Officer of the Crematorium must be given advance notice. Max weight 25 stone incl. coffin.

Clydebank Crematorium (West Dunbartonshire Council) complies and operates within the present environmental legislation and policies. We are pro-active and where possible use sustainable and biodegradable products.

We, (the Funeral Director), confirm that the coffin will be presented for cremation at the above stated date and time and has been constructed in accordance with the above instructions.

Signed on behalf of the above:

I hereby undertake to abide and be bound by the general instructions, Rules and Regulations of the Council and I absolve the Council from any legal or other responsibility through any accident arising to any urn or memorial of the deceased, or through the destruction of the Crematorium by fire, tumult, or the Act of God, or through any other cause whatsoever, and also for delay or inconvenience in the arrangements for cremation.

Signature of Applicant:

NOTE: West Dunbartonshire Council reserve the right to refuse to carry out Cremation to any case without assigning any reason.